
1-BEDROOM

TYPE (1)a1

45 sq m / 484 sq ft

#02-16
#02-31
#02-39




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W / D	CLOTHES WASHER CUM DRYER
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



1-BEDROOM

TYPE (1)b1

48 sq m / 517 sq ft

#02-05
#02-24
#02-56




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W / D	CLOTHES WASHER CUM DRYER
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.




2-BEDROOM

TYPE (2)a

58 sq m / 624 sq ft

#03-13 to #16-13
#03-20 to #16-20*
#03-21 to #16-21
#03-27 to #16-27*
#03-28 to #16-28
#03-35 to #16-35*
#03-36 to #16-36
#03-43 to #16-43*




TYPE (2)a1

58 sq m / 624 sq ft

#02-13
#02-20*
#02-21
#02-27*
#02-28
#02-35*
#02-36
#02-43*

Note: *Mirror Image




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W / D	CLOTHES WASHER CUM DRYER
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.




2-BEDROOM PREMIUM

TYPE (2)b

61 sq m / 657 sq ft

#03-01 to #16-01
#03-08 to #16-08*



Note: *Mirror Image


LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W / D	CLOTHES WASHER CUM DRYER
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.




2-BEDROOM PREMIUM

TYPE (2)c

62 sq m / 667 sq ft

#03-16 to #16-16
#03-17 to #16-17*
#03-31 to #16-31
#03-32 to #16-32*
#03-39 to #16-39
#03-40 to #16-40*



Note: *Mirror Image


LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W / D	CLOTHES WASHER CUM DRYER
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.




2-BEDROOM PREMIUM

TYPE (2)c1

62 sq m / 667 sq ft

#02-17
#02-32
#02-40




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W / D	CLOTHES WASHER CUM DRYER
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.




2-BEDROOM PREMIUM (With Study)

TYPE (2)d

70 sq m / 753 sq ft


#03-04 to #16-04
#03-05 to #16-05*
#03-24 to #16-24*
#03-52 to #16-52*
#03-55 to #16-55
#03-56 to #16-56*
#03-59 to #16-59



TYPE (2)d1

70 sq m / 753 sq ft

#02-04
#02-52*
#02-55
#02-59



Note: *Mirror Image


LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W / D	CLOTHES WASHER CUM DRYER
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.




3-BEDROOM

TYPE (3)a

74 sq m / 797 sq ft

#03-23 to #16-23



TYPE (3)a1

74 sq m / 797 sq ft

#02-23




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W / D	CLOTHES WASHER CUM DRYER
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



3-BEDROOM

TYPE (3)b

76 sq m / 818 sq ft

#04-07 to #16-07




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W / D	CLOTHES WASHER CUM DRYER
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



3-BEDROOM

TYPE (3)c

77 sq m / 829 sq ft

#04-02 to #16-02
#03-19 to #09-19*
#12-19 to #16-19*
#04-34 to #16-34*
#04-42 to #16-42*
#03-54 to #16-54*



Note: *Mirror Image


LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W / D	CLOTHES WASHER CUM DRYER
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



3-BEDROOM

TYPE (3)c1

77 sq m / 829 sq ft

#02-19
#03-42
#02-54




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W / D	CLOTHES WASHER CUM DRYER
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
RD	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



3-BEDROOM (With Store)

TYPE (3)d

84 sq m / 904 sq ft


#03-15 to #16-15
#03-22 to #16-22*
#03-26 to #09-26
#12-26 to #16-26
#03-30 to #16-30
#03-37 to #16-37*
#03-57 to #16-57*



TYPE (3)d1

84 sq m / 904 sq ft

#02-15
#02-22*
#02-26
#02-30
#02-37*
#02-57*



Note: *Mirror Image


LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
RD	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



3-BEDROOM PREMIUM (With Yard)

TYPE (3)e

90 sq m / 969 sq ft


#03-12 to #16-12



TYPE (3)e1

90 sq m / 969 sq ft

#02-12




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
WC	WATER CLOSET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



3-BEDROOM PREMIUM (With Yard)

TYPE (3)f

91 sq m / 980 sq ft


#03-14 to #16-14



TYPE (3)f1

91 sq m / 980 sq ft

#02-14




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
WC	WATER CLOSET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



3-BEDROOM PREMIUM (With Yard)

TYPE (3)g

92 sq m / 990 sq ft


#03-25 to #16-25




TYPE (3)g1

92 sq m / 990 sq ft

#02-25





LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
WC	WATER CLOSET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
RWP	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.

3-BEDROOM PREMIUM (With Yard)

TYPE (3)h

94 sq m / 1012 sq ft


#03-11 to #09-11
#12-11 to #16-11



TYPE (3)h1

94 sq m / 1012 sq ft

#02-11




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
WC	WATER CLOSET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
RWP	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.




3-BEDROOM PREMIUM (With Yard)

TYPE (3)i

94 sq m / 1012 sq ft

#03-09 to #16-09



TYPE (3)i1

94 sq m / 1012 sq ft

#02-09




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
WC	WATER CLOSET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
RWP	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.




3-BEDROOM PREMIUM (With Yard)

TYPE (3)j

95 sq m / 1023 sq ft

#03-10 to #16-10



TYPE (3)j1

95 sq m / 1023 sq ft

#02-10




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
WC	WATER CLOSET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
RWP	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



3-BEDROOM PREMIUM (With Yard)

TYPE (3)k

96 sq m / 1033 sq ft

#03-18 to #16-18
#03-33 to #16-33
#03-38 to #16-38*
#03-41 to #16-41
#03-58 to #16-58*

Applicable to
#03-33 to #16-33
#03-38 to #16-38*
#03-41 to #16-41
#03-58 to #16-58*


Applicable to
#03-18 to #16-18



TYPE (3)k1

96 sq m / 1033 sq ft

#02-18
#02-33
#02-38*
#02-41
#02-58*



Note: *Mirror Image


LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
WC	WATER CLOSET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



4-BEDROOM (With Yard)

TYPE (4)a

105 sq m / 1130 sq ft

#03-44 to #16-44




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
WC	WATER CLOSET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



4-BEDROOM
(With Yard)

TYPE (4)b

105 sq m / 1130 sq ft

#03-47 to #16-47




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
WC	WATER CLOSET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



4-BEDROOM
(With Yard)

TYPE (4)c

105 sq m / 1130 sq ft


#03-46 to #16-46
#03-49 to #16-49*



TYPE (4)c1

105 sq m / 1130 sq ft

#02-46
#02-49*



Note: *Mirror Image


LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
WC	WATER CLOSET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.




4-BEDROOM (With Yard)

TYPE (4)d

106 sq m / 1141 sq ft


#03-03 to #16-03
#03-29 to #16-29*



TYPE (4)d1

106 sq m / 1141 sq ft

#02-03
#02-29*



Note: *Mirror Image


LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
WC	WATER CLOSET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



4-BEDROOM PREMIUM (With Yard)

TYPE (4)e

117 sq m / 1259 sq ft


#03-06 to #15-06
#03-53 to #15-53



TYPE (4)e1

117 sq m / 1259 sq ft

#02-53




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
WC	WATER CLOSET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



4-BEDROOM PREMIUM (With Yard)

TYPE (4)f

116 sq m / 1249 sq ft

#03-45 to #16-45
#03-50 to #16-50*
#03-51 to #15-51



4-BEDROOM PREMIUM (With Yard)

TYPE (4)g

116 sq m / 1249 sq ft


#03-48 to #16-48



TYPE (4)f1

116 sq m / 1249 sq ft

#02-50*
#02-51




Note: *Mirror Image

TYPE (4)g1

116 sq m / 1249 sq ft

#02-48




LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
WC	WATER CLOSET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.



LEGEND

F	FRIDGE
DB	DISTRIBUTION BOARD
W	CLOTHES WASHER
D	DRYER
ST	STORAGE CABINET
WC	WATER CLOSET
RC	REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
AC	AIRCON LEDGE (NON-STRATA AREA)
PES	PRIVATE ENCLOSED SPACE
	AIRCON CONDENSER
	SERVICES VOID SPACE (NON-STRATA AREA)
	RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
	WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
	NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE 65 OF THIS BROCHURE.

